



Oras Swea

INSTALLATION AND MAINTENANCE GUIDE






Accepterad
monteringsanvisning
2016:1

Contents

DK Indholdsfortegnelse	LT Turinys	PL Spis treści	UA Зміст
EE Sisukord	LV Saturs	RU Содержание	
FI Sisällysluettelo	NO Innhold	SE Innehållsförteckning	



Technical data.....	4
Installation	5, 7
Operation.....	8
Maintenance.....	8-11
Spare parts	12




Technical data.....	4
Installation	6-7
Operation.....	8
Maintenance.....	8-11
Spare parts	12

1510F, 1510FK, 1510F-105

I (ISO 3822) Oras lab.
 EN 817
 50 - 1000 kPa
 0.068 l/s (Eco)
 0.1 l/s (300 kPa w/Controller)
 0.07 l/s (300 kPa w/Controller) 1510F-105
 200 kPa (0.1 l/s)
 max. +80°C



1441 KIWA Sverige 1913




1511F

I (ISO 3822) Oras lab.
 EN 817
 50 - 1000 kPa
 0.068 l/s (Eco)
 0.1 l/s (300 kPa w/Controller)
 200 kPa (0.1 l/s)
 max. +80°C



1441 KIWA Sverige 1913




1507F

I (ISO 3822) Oras lab.
 EN 817
 50 - 1000 kPa
 0.068 l/s (Eco)
 0.1 l/s (300 kPa w/Controller)
 200 kPa (0.1 l/s)
 max. +80°C



1441 KIWA Sverige 1913






Installation

DK Installation
EE Paigaldus
FI Asennus


LT Montavimas
LV Montāža
NO Montering

PL Instalacja
RU Установка
SE Installation

UA Встановлення



max.
1600 kPa





Installation

DK Installation
EE Paigaldus
FI Asennus


LT Montavimas
LV Montāža
NO Montering

PL Instalacja
RU Установка
SE Installation

UA Встановлення



max.
1600 kPa




Installation

DK Installation
EE Paigaldus
FI Asennus

LT Montavimas
LV Montāža
NO Montering






PL Instalacja
RU Установка
SE Installation

UA Встановлення



①

2




Operation

DK Betjening
EE Toimimine
FI Toiminta

LT Veikimo principas
LV Darbības princips
NO Funksjon

PL Działanie
RU Принцип действия
SE Funktion

UA Принцип дії




Limiting the flow rate

DK Begrænsning af vandmængden
EE Vooluhulga piiramine
FI Virtaaman rajoitus
LT Vandens srovės reguliavimas
LV Ūdens plūsmas ierobežošana

NO Begrensning av vannmengde
PL Ograniczenie wielkości strumienia
RU Регулирование потока
SE Flödesbegränsning
UA Регулювання потоку



2 4



Limiting temperature

DK Forindstilling af vandets max. temperatur

EE Temperatuuri piiramine seadeosast

FI Lämpötilan rajoitus

LT Temperatūros apribojimas

LV Karstā ūdens temperatūras ierobežošana


NO Begrenzing temperatur

PL Ograniczenie temperatury


RU Ограничение температуры в регулирующем блоке

SE Begränsning av vattnets max. temperatur

UA Обмеження температури в регулюючому блоці



②



Changing the cartridge

DK Udskiftning af reguleringskassette (unit)

EE Seadeosa vahetus

FI Säätöosan vaihto

LT Valdanciosios kasetės pakeitimas

LV Regulēšanas mehānisma kasetes maiņa





NO Skifting av kassett

PL Wymiana modułu sterującego

RU Замена регулировочного блока

SE Byte av kassett

UA Заміна регулювального блоку



Cleaning the faucet

DK Rengøring af armaturet

EE Puhastamine

FI Puhdistus

LT Maišytuvo valymas

LV Krāna tīrīšana




NO Rengjøring av kranen

PL Czyszczenie baterii

RU Чистка смесителя

SE Rengöring av blandarna

UA Чищення змішувача



Spare parts

DK Reservedele
EE Varuosad
FI Varaosat


LT Atsarginės dalys
LV Rezerves daļas
NO Reservedeler

PL Części zamienne
RU Запасные части
SE Reservdelar

UA Запасні частини


1510F , 1510FK , 1511F, 1510F-105

- 1 1003170V
- 2 601967V
- 3 601968V
- 4 602672V
- 5 1003828V (1510F-105)
- 5 601974V
- 6 601970V
- 7 601985V



1507F

- 1 1001051V
- 2 1001071V
- 3 159670/10
- 4 1001098V
- 5 602672V
- 6 601968V
- 7 601967V
- 8 1003171V
- 9 601970V
- 10 601985V



Oras Group is a powerful European provider of sanitary fittings: the market leader in the Nordics and a leading company in Continental Europe. The company's mission is to make the use of water easy and sustainable and its vision is to become the European leader of advanced sanitary fittings. Oras Group has two strong brands, Oras and Hansa.

The head office of the Group is located in Rauma, Finland, and the Group has four manufacturing sites: Burglengenfeld (Germany), Kralovice (Czech Republic), Olesno (Poland) and Rauma (Finland). Oras Group employs approximately 1400 people in twenty countries. Oras Group is owned by Oras Invest, a family company and an industrial owner.

ORAS GROUP
Isometsäntie 2, P.O. Box 40
FI-26101 Rauma
Tel. +358 2 83 161
Fax +358 2 831 6300
info.finland@oras.com
www.oras.com

